DATA2010 ...the Healthy People 2010 Database - April, 2004 Edition - 07/09/04 - 9:27
Objective: 21-05b

Objective		Base line Year	Base line	1998	1999	2000	2001	20
21-05b Destructive periodontal disease -								
Adults (aged 35 to 44 years)	#1	1988-94	22%	---	---	---	---	--
Race and ethnicity								
American Indian or Alaska Native	#2	1999	a,1\59%	NA	NA	---	---	--
Asian or Pacific Islander	#3	1988-94	DSU	---	---	---	---	--
Asian	#4	1988-94	DNC	---	---	---	---	--
Native Hawaiian or Other Pacific Islander	#5	1988-94	DNC	---	---	---	---	--
Black or African American	#6	1988-94	33%	---	---	---	---	--
White	#7	1988-94	20%	---	---	---	---	--
Hispanic or Latino	#8	1988-94	DSU	---	---	---	---	--
Mexican American	#9	1988-94	24%	---	---	---	---	--
Not Hispanic or Latino	#10	1988-94	DNA	---	---	---	---	--
Black or African American, not Hispanic/Latino	#11	1988-94	33%	---	---	---	---	--
White, not [illegible] or Latino	#12	1988-94	20%	---	---	---	---	--
Gender								
Female	#13	1988-94	15%	---	---	---	---	--
Male	#14	1988-94	29%	---	---	---	---	--
Education lev[illegible]								
Less than hi[illegible]	#15	1988-94	35%	---			---	--
High sch[illegible]	#16	1988-94	28%	-			-	-
At least som[illegible]	#17	1988-94	15%	---	-	-	-	-
Disability status								
Persons with disabilities	#18	1988-94	DNA	---	---	---	---	--
Persons without disabilities	#19	1988-94	DNA	---	---	---	---	--

DATA ISSUES

--- = Data are not available.
DNA = Data have not been analyzed.
DNC = Data for specific population are not collected.
DSU = Data do not meet the criteria for statistical reliability, data quality, or co
NA = Not applicable.
a\Baseline has been revised.
1\Data are for IHS service areas.

NOTE:Data may include revisions, and may differ from those shown previously. Any di
age-adjusted data are adjusted to the 2000 standard population.

DATA SOURCE

http://wonder.cdc.gov/scripts/broker.exe 7/9/2004

Periodintitis

PM3003723946

Source: https://www.industrydocuments.ucsf.edu/docs/lmmj0001

Destructive periodontal disease[1] among adults aged 20 and older by selected demographic characteristics

Characteristics	Destructive periodontal disease N=12,976 Percent (95% CI)
Total	26.14 (24.41, 27.88)
Age	
20-29	6.08 (4.58, 7.58)
30-39	18.19 (15.34, 21.04)
40-49	28.13 (25.42, 30.83)
50-59	46.21 (42.67, 49.74)
60-69	52.55 (46.86, 58.24)
70-79	55.72 (50.91, 60.53)
80-90	67.51(61.31, 73.71)
Race/ethnicity*	
Non-Hispanic white	27.04 (25.18, 28.91)
Non-Hispanic black	38.63 (36.48, 40.78)
Mexican American	33.52 (31.89, 35.15)
Gender*	
Male	34.00 (32.09, 35.90)
Female	24.46 (22.49, 26.44)
Federal poverty level (FPL)*	
Below FPL	42.22 (39.20, 45.24)
At/above FPL	27.39 (25.68, 29.10)
Education*	
Less than 12th grade	38.96 (36.72, 41.21)
12th grade	30.80 (28.22, 33.37)
More than 12th grade	23.03 (20.70. 25.36)
Ever smoked at least 100 cigarettes*	
Yes	35.09 (32.87, 37.32)
No	21.81 (20.17, 23.45)

[1] Destructive periodontal disease is defined as having a loss of attachment of at least 4 mm at one or more sites.

*Age standardized to the year 2000 U.S. population.

Data source: The Third National Health and Nutrition Examination Survey (NHANES III) 1988-1994, National Center for Health Statistics, Centers for Disease Control and Prevention.

Source: https://www.industrydocuments.ucsf.edu/docs/lmmj0001